Physica C 168 (1990) 669–678
North-Holland

AUTHOR INDEX TO VOLUME 168

Abrikosov, A.A. and L.A. Falkovsky, The normal state electron spectrum of CuO_2 planes in HTSC 168 (1990) 556
Adachi, H., see S. Adachi 168 (1990) 1
Adachi, S., O. Inoue, S. Kawashima, H. Adachi, Y. Ichikawa, K. Setsune and K. Wasa, A new type of crystal structure in the Pb–Pr–Sr–Cu–O system 168 (1990) 1
Alcalá, R., see V.M. Orera 168 (1990) 161
Allenspach, P., see A. Furrer 168 (1990) 609
Allgeier, C. and J.S. Schilling, Correlation between the magnitude of the superconducting transition temperature and the normal-state magnetic susceptibility in $Bi_2Sr_2CaCu_2O_{8+y}$ and $Tl_2Ba_2CuO_{6+y}$ as a function of oxygen content 168 (1990) 499
Alvanipour, A., see K.M. Stephens 168 (1990) 351
Aoki, H., see T. Hirata 168 (1990) 580
Arima, T., Y. Tokura, H. Takagi, S. Uchida, R. Beyers and J.B. Torrance, Extended family of new Bi-2222 superconducting cuprates: $Bi_2Sr_2(RE_{1-x}Ce_x)_2Cu_2O_{10+y}$, RE=rare earth 168 (1990) 79
Arima, T., see S. Tajima 168 (1990) 117
Ayyub, P., A.N. Maitra and D.O. Shah, Formation of theoretical-density microhomogeneous $YBa_2Cu_3O_{7-x}$ using a microemulsion-mediated process 168 (1990) 571

Baak, J., C.J. Muller, H.B. Brom, M.J.V. Menken, K. Kadowaki and A.A. Menovsky, The magnetic field dependence of the low temperature specific heat in single crystals of $YBa_2Cu_3O_7$ 168 (1990) 363
Baird, N.C. and J.K. Burdett, The interplay of electrostatic and orbital forces in the control of the structure of the electron-doped superconductors $Nd_{2-x}Ce_xCuO_4$ 168 (1990) 637
Beyers, R., see T. Arima 168 (1990) 79
Bhasin, K.B., see F.A. Miranda 168 (1990) 91
Bochenek, E., see R. Fischer 168 (1990) 113
Braun, E., see W. Schnelle 168 (1990) 465
Braunisch, W., see W. Schnelle 168 (1990) 465
Brewer, J.H., see N. Nishida 168 (1990) 23
Broicher, H., see W. Schnelle 168 (1990) 465
Brom, H.B., see J. Baak 168 (1990) 363
Brunner, O., see G. Triscone 168 (1990) 40
Bud'ko, S.L., A.G. Gapotchenko, A.E. Luppov, E.A. Early, M.B. Maple and J.T. Markert, Effect of pressure on critical parameters of electron-doped superconductors $Ln_{2-x}M_xCuO_{4-y}$ (Ln=Nd, Sm, Pr; M=Ce, Th) 168 (1990) 530
Burdett, J.K., see N.C. Baird 168 (1990) 637
Burns, S.J., see A. Goyal 168 (1990) 405
Bush, A.A., see I.E. Lipinski 168 (1990) 291
Buzdin, A.I. and A.Yu. Simonov, Peculiar magnetic properties of anisotropic London superconductors 168 (1990) 421

Catlow, C.R.A., see X. Zhang 168 (1990) 417
Cattani, D., see G. Triscone 168 (1990) 40
Ceresara, S., see R. Vaccarone 168 (1990) 63
Chancey, C.C., see K.P. Jain 168 (1990) 297
Chen, D.-X., A. Sanchez, L.M. Martinez and J.S. Muñoz, AC susceptibility of grains and matrix for high-T_c superconductors 168 (1990) 652
Chen, Z., see Q. Xu 168 (1990) 489
Cheng, T., see Q. Xu 168 (1990) 489
Chien, J.C.W., see W.M. Tiernan 168 (1990) 189

Dabrowski, B., see P. Lightfoot 168 (1990) 627
Deltour, R., see M. Mehbod 168 (1990) 265
Dömel, R., see W. Schnelle 168 (1990) 465
Dong, S.H., see W.M. Tiernan 168 (1990) 189
Douglass, D.H., Scaling of a magnetic system describable by critical exponents application to superconductors 168 (1990) 282
Duhalde, S., see C. Saragovi 168 (1990) 493
Duvigneaud, P.H., see M. Mehbod 168 (1990) 265
Dwir, B., Effect of gap depression on the critical current in HTSC ceramics 168 (1990) 109

Early, E.A., see S.L. Bud'ko 168 (1990) 530
Eckert, D., see A. Junod 168 (1990) 47
Eibl, O., Crystal structure of $(Bi,Pb)_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ high-T_c superconductors 168 (1990) 215
Eibl, O., Special grain boundaries in high-T_c $Bi_2Sr_2CaCu_2O_{8+\delta}$ 168 (1990) 239
Eibl, O., Crystal defects in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ ceramics 168 (1990) 249
Einav, M., see U. Yaron 168 (1990) 546
Etchegoin, P., see C. Saragovi 168 (1990) 493

Fainstein, C., see C. Saragovi 168 (1990) 493
Falkovsky, L.A., see A.A. Abrikosov 168 (1990) 556
Fan, C., see Q. Xu 168 (1990) 489
Fayn, B., see D.E. Morris 168 (1990) 153
Feile, R., see U. Weimer 168 (1990) 359
Felner, I., see U. Yaron 168 (1990) 546
Finkel'stein, A.M., V.E. Kataev, E.F. Kukovitskii and G.B. Teitel'baum, Effects of Zn substitution for Cu atoms in lanthanum–strontium superconductors 168 (1990) 370
Fischer, R., E. Bochenek and H. Voigt, On the efficiency of a Meissner--Ochsenfeld heat engine 168 (1990) 113
Flambaum, V.V. and O.P. Sushkov, Frequencies of nuclear resonances for copper and electronic wave function of antiferromagnetic La_2CuO_4 168 (1990) 565
Fontcuberta, J., see V.M. Orera 168 (1990) 161
Fröhlingsdorf, J., see U. Weimer 168 (1990) 359
Fueki, K., see Y. Idemoto 168 (1990) 167
Funkenbusch, P.D., see A. Goyal 168 (1990) 405
Furrer, A., P. Allenspach, J. Mesot and U. Staub, The crystalline electric field as a direct probe for the electron doping process in $Nd_{2-x}Ce_xCuO_4$ 168 (1990) 609

Ganapathi, L., A. Kumar and J. Narayan, In situ processing of $LaBa_2Cu_3O_{7-\delta}$ thin films by laser ablation method 168 (1990) 599
Gapotchenko, A.G., see S.L. Bud'ko 168 (1990) 530
Garre, R., see R. Vaccarone 168 (1990) 63
Giaro, K., W. Gorzkowski and T. Motylewski, A correct description of the interaction between a magnetic moment and its image 168 (1990) 479
Gilchrist, J. and M. Konczykowski, AC screening measurement for the characterization of oxide superconductors. I. Application to ceramics 168 (1990) 123
Gilchrist, J., see M. Konczykowski 168 (1990) 131
Gong, B.M., see W.M. Tiernan 168 (1990) 189
Gorzkowski, W., see K. Giaro 168 (1990) 479
Gougeon, P., see R. Moret 168 (1990) 315
Goyal, A., S.J. Burns and P.D. Funkenbusch, Effect of Ag/Ag_2O additions on the resistive behavior of preformed $YBa_2Cu_3O_{7-\delta}$ compacts in the low temperature sintering regime 168 (1990) 405
Graf, T., see G. Triscone 168 (1990) 40
Graf, T., see A. Junod 168 (1990) 47
Griessen, R., see E.N. van Eenige 168 (1990) 482
Groen, W.A., see H.W. Zandbergen 168 (1990) 426
Gumber, P.K., see S.P. Tewari 168 (1990) 647

Hallock, R.B., see W.M. Tiernan 168 (1990) 189
Harnischmacher, J., see W. Schnelle 168 (1990) 465
Heinen, V.O., see F.A. Miranda 168 (1990) 91
Hentsch, F., see N. Winzek 168 (1990) 327
Hervieu, M., see C. Martin 168 (1990) 8
Hinks, D.G., see P. Lightfoot 168 (1990) 627
Hinton, W.S., see K.M. Stephens 168 (1990) 351
Hiraga, K., see A. Tokiwa 168 (1990) 285
Hirata, T., S. Uji and H. Aoki, Depression in strength of the infrared active E_u mode with Ce-doping in $Nd_{2-x}Ce_xCuO_4$ 168 (1990) 580
Honbo, E., see H. Kaga 168 (1990) 391
Horiuchi, S., K. Shoda, X.-J. Wu, H. Nozaki and M. Tsutsumi, Phase transition in Bi-based superconductive oxides examined by HRTEM 168 (1990) 205
Horiuchi, T., T. Kawai, K. Mitsui, K. Ogura and S. Kawai, Li substitution in the $Bi_2Sr_2Ca_1Cu_2O_8$ superconductor 168 (1990) 309
Huebener, R.P., Thermoelectric and thermomagnetic effects in the mixed state of high-T_c superconductors 168 (1990) 605
Hulliger, F., see A. Schilling 168 (1990) 272

Ichikawa, Y., see S. Adachi 168 (1990) 1
Idemoto, Y. and K. Fueki, Oxygen nonstoichiometry and valences of bismuth and copper in $Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_y$ 168 (1990) 167
Ido, T., see S. Tajima 168 (1990) 117
Iguchi, I., see Z. Wen 168 (1990) 138
Inoue, O., see S. Adachi 168 (1990) 1
Irvine, J.T.S., see C. Namgung 168 (1990) 346
Ishibashi, S., see S. Tajima 168 (1990) 117

Iye, Y., see N. Nishida 168 (1990) 23
Izmailov, A.F. and A.R. Kessel, Partition function of the BCS model in the nonregular phase: exact results 168 (1990) 450

Jain, K.P., R. Ramakumar and C.C. Chancey, Electron pairing in the negative-U Hubbard narrow energy band model 168 (1990) 297
Jha, S.S. and A.K. Rajagopal, Critical temperature in high-T_c layered superconductors. Dependence on the number of interacting conducting layers per unit cell 168 (1990) 173
Jilek, E., see E.N. van Eenige 168 (1990) 482
Jin, S., see S.H. Whang 168 (1990) 185
Jorgensen, J.D., see P. Lightfoot 168 (1990) 627
Junod, A., see G. Triscone 168 (1990) 40
Junod, A., D. Eckert, T. Graf, E. Kaldis, J. Karpinski, S. Rusiecki, D. Sanchez, G. Triscone and J. Muller, Specific heat of the superconductor $YBa_2Cu_4O_8$ from 1.5 to 330 K 168 (1990) 47

Kadono, R., see N. Nishida 168 (1990) 23
Kadowaki, K., see J. Baak 168 (1990) 363
Kaga, H., T. Saikawa and E. Honbo, Asymmetric effects of electron- and hole-dopings into the CuO_2 square lattice in the three-band model 168 (1990) 391
Kaldis, E., see A. Junod 168 (1990) 47
Kaldis, E., see E.N. van Eenige 168 (1990) 482
Kalkur, T.S., see F.A. Miranda 168 (1990) 91
Karpinski, J., see A. Junod 168 (1990) 47
Karpinski, J., see E.N. van Eenige 168 (1990) 482
Kataev, V.E., see A.M. Finkel'stein 168 (1990) 370
Kawai, S., see T. Horiuchi 168 (1990) 309
Kawai, T., see T. Horiuchi 168 (1990) 309
Kawashima, S., see S. Adachi 168 (1990) 1
Kes, P.H., see V.M. Vinokur 168 (1990) 29
Kessel, A.R., see A.F. Izmailov 168 (1990) 450
Kikuchi, M., see S. Nakajima 168 (1990) 57
Kikuchi, M., see A. Tokiwa 168 (1990) 285
Kobayashi, N., see S. Nakajima 168 (1990) 57
Kobayashi, N., see A. Tokiwa 168 (1990) 285
Konczykowski, M., see J. Gilchrist 168 (1990) 123
Konczykowski, M. and J. Gilchrist, AC screening measurement for the characterization of ceramic superconductors. II. Electron irradiation effect on $YBa_2Cu_3O_7$ 168 (1990) 131
Koshelev, A.E., see V.M. Vinokur 168 (1990) 29
Kowal, D., see U. Yaron 168 (1990) 546
Koyama, T., N. Takezawa and M. Tachiki, Anomalous temperature dependence of H_{cl} in layered oxide superconductors 168 (1990) 69
Kremer, R., see N. Winzek 168 (1990) 327
Kronmüller, H., see H. Theuss 168 (1990) 539
Kukovitskii, E.F., see A.M. Finkel'stein 168 (1990) 370
Kulkarni, P., S. Mahamuni, S.K. Kulkarni and A.S. Nigavekar, Photoelectron spectroscopic studies of the interface reactions between lead and the high-T_c $Bi_2Sr_2CaCu_2O_8$ superconductor 168 (1990) 104

Kulkarni, S.K., see P. Kulkarni 168 (1990) 104
Kumar, A., see L. Ganapathi 168 (1990) 599
Kwei, G.H. and M.A. Subramanian, Structure of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$: neutron powder diffraction study of cation ordering and oxygen stoichiometry 168 (1990) 521
Kwok, H.S., see J.P. Zheng 168 (1990) 322
Kwor, R., see F.A. Miranda 168 (1990) 91

Leiderer, P., see U. Weimer 168 (1990) 359
Levanyuk, A.P., see I.E. Lipinski 168 (1990) 291
Levet, J.-C., see R. Moret 168 (1990) 315
Li, D.J., J.P. Zhang and L.D. Marks, Superconductors and nonsuperconductors in $Nd_{2-x}Ce_xCuO_4$ 168 (1990) 617
Li, X.-G., see Q. Xu 168 (1990) 489
Li, Z.X., see S.H. Whang 168 (1990) 185
Lightfoot, P., D.R. Richards, B. Dabrowski, D.G. Hinks, S. Pei, D.T. Marx, A.W. Mitchell, Y. Zheng and J.D. Jorgensen, Phase separation in $Nd_{2-x}CuO_4$. Evidence for superconductivity at a single composition 168 (1990) 627
Lipinski, I.E., A.V. Zalessky, A.P. Levanyuk, G.S. Mironova, E.M. Smirnovskaya and A.A. Bush, ^{63}Cu and ^{65}Cu NQR lineshape in Bi–Sr–Ca–Cu–O high-T_c superconductors 168 (1990) 291
Liu, C. and B.N. Narahari Achar, On the magnetic field dependence of the shear wave velocity in the mixed state of a type-II superconductor 168 (1990) 515
Luppov, A.E., see S.L. Bud'ko 168 (1990) 530

Maartense, I., see A.K. Sarkar 168 (1990) 591
Madsen, J.M., see W.M. Tiernan 168 (1990) 189
Mahamuni, S., see P. Kulkarni 168 (1990) 104
Maignan, A., see C. Martin 168 (1990) 8
Maitra, A.N., see P. Ayyub 168 (1990) 571
Mao, Z., see Q. Xu 168 (1990) 489
Maple, M.B., see S.L. Bud'ko 168 (1990) 530
Markelz, A.G., see D.E. Morris 168 (1990) 153
Markert, J.T., see S.L. Bud'ko 168 (1990) 530
Markiewicz, R.S., Van Hove excitons and high-T_c superconductivity. IV. Properties of the excitons 168 (1990) 195
Marks, L.D., see D.J. Li 168 (1990) 617
Martin, C., A. Maignan, J. Provost, C. Michel, M. Hervieu, R. Tournier and B. Raveau, Thallium cuprates: the critical temperature is mainly governed by the oxygen nonstoichiometry 168 (1990) 8
Martinez, L.M., see D.-X. Chen 168 (1990) 652
Marx, D.T., see P. Lightfoot 168 (1990) 627
Mattausch, Hj., see N. Winzek 168 (1990) 327
Mehbod, M., E. Vanlathem, R. Deltour, P.H. Duvigneaud, P. Wyder, M. Verwerft, G. van Tendeloo and J. van Landuyt, Superconductivity and microstructure in Fe-doped Bi–Sr–Ca–Cu–O compounds 168 (1990) 265
Mehring, M., see N. Winzek 168 (1990) 327
Meijer, H.C., see R.W. Willekers 168 (1990) 99
Menken, M.J.V., see R.W. Willekers 168 (1990) 99

Menken, M.J.V., see J. Baak 168 (1990) 363
Menovsky, A.A., see J. Baak 168 (1990) 363
Mesot, J., see A. Furrer 168 (1990) 609
Michel, C., see C. Martin 168 (1990) 8
Miranda, F.A., K.B. Bhasin, V.O. Heinen, R. Kwor and T.S. Kalkur, Microwave conductivity of superconducting Bi–Sr–Ca–Cu–O thin films in the 26.5 to 40.0 GHz frequency range 168 (1990) 91
Mironova, G.S., see I.E. Lipinski 168 (1990) 291
Mitchell, A.W., see P. Lightfoot 168 (1990) 627
Mitsui, K., see T. Horiuchi 168 (1990) 309
Miyatake, H., see N. Nishida 168 (1990) 23
Moret, R., P. Gougeon, M. Potel, J.-C. Levet and H. Noel, Single-crystal X-ray scattering observation of satellite reflections and diffuse scattering in $Tl_2Ba_2CaCu_2O_8$, $Tl_2Ba_2Ca_2Cu_3O_{10}$ and $TlBa_2Ca_2Cu_3O_9$ 168 (1990) 315
Morris, D.E., A.G. Markelz, B. Fayn and J.H. Nickel, Conversion of 124 into 123+CuO and 124, 123 and 247 phase regions in the Y–Ba–Cu–O system 168 (1990) 153
Morrobel-Sosa, A., see K.M. Stephens 168 (1990) 351
Motylewski, T., see K. Giaro 168 (1990) 479
Muller, C.J., see J. Baak 168 (1990) 363
Muller, J., see G. Triscone 168 (1990) 40
Muller, J., see A. Junod 168 (1990) 47
Müller, K.-H., Frequency dependence of AC susceptibility in high-temperature superconductors. Flux creep and critical state at grain boundaries 168 (1990) 585
Muñoz, J.S., see D.-X. Chen 168 (1990) 652
Muto, Y., see S. Nakajima 168 (1990) 57

Nagamine, K., see N. Nishida 168 (1990) 23
Nagoshi, M., see A. Tokiwa 168 (1990) 285
Nakajima, S., M. Kikuchi, Y. Syono, N. Kobayashi and Y. Muto, Superconductivity of high-T_c $TlBa_2Ca_{1-x}RE_xCu_2O_7$ (RE=Nd, Gd or Y) system 168 (1990) 57
Namgung, C., J.T.S. Irvine and A.R. West, Absence of critical temperature plateaux in quenched samples of $YBa_2Cu_3O_x$ 168 (1990) 346
Narahari Achar, B.N., see C. Liu 168 (1990) 515
Narayan, J., see L. Ganapathi 168 (1990) 599
Nickel, J.H., see D.E. Morris 168 (1990) 153
Nigavekar, A.S., see P. Kulkarni 168 (1990) 104
Nishida, N., S. Okuma, H. Miyatake, T. Tamegai, Y. Iye, R. Yoshizaki, K. Nishiyama, K. Nagamine, R. Kadono and J.H. Brewer, Internal magnetic fields at μ^+ sites and the magnetic phase diagram of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_y$ system studied by the μSR method 168 (1990) 23
Nishiyama, K., see N. Nishida 168 (1990) 23
Nobili, C., G. Ottaviani, M.C. Rossi and M. Sparpaglione, Oxygen disordering in tetragonal $Y_1Ba_2Cu_3O_{6+\epsilon}$ a time dependent study 168 (1990) 549
Noel, H., see R. Moret 168 (1990) 315
Nozaki, H., see S. Horiuchi 168 (1990) 205

Ogura, K., see T. Horiuchi 168 (1990) 309
Oku, T., see A. Tokiwa 168 (1990) 285

Okuma, S., see N. Nishida 168 (1990) 23
Orera, V.M., M.L. Sanjuán, R. Alcalá, J. Fontcuberta and S. Piñol, Raman study of superconducting $Nd_{2-x}Ce_xCuO_{4-y}$ single crystals 168 (1990) 161
Ott, H.R., see A. Schilling 168 (1990) 272
Ottaviani, G., see C. Nobili 168 (1990) 549

Pang, D.X., see S.H. Whang 168 (1990) 185
Pankert, J., Ultrasonic attenuation in the mixed state of high-T_c superconductors 168 (1990) 335
Parodi, F., see R. Vaccarone 168 (1990) 63
Pei, S., see P. Lightfoot 168 (1990) 627
Peng, D., see Q. Xu 168 (1990) 489
Piñol, S., see V.M. Orera 168 (1990) 161
Pint, W., The upper critical field of superconductors with a cylinder-symmetrical Fermi surface 168 (1990) 143
Poppe, U., see U. Weimer 168 (1990) 359
Postma, H., see R.W. Willekers 168 (1990) 99
Potel, M., see R. Moret 168 (1990) 315
Provost, J., see C. Martin 168 (1990) 8

Rajagopal, A.K., see S.S. Jha 168 (1990) 173
Ramakumar, R., see K.P. Jain 168 (1990) 297
Raveau, B., see C. Martin 168 (1990) 8
Richards, D.R., see P. Lightfoot 168 (1990) 627
Robinson, D.A., see K.M. Stephens 168 (1990) 351
Rossi, M.C., see C. Nobili 168 (1990) 549
Ruppel, S., see W. Schnelle 168 (1990) 465
Rusiecki, S., see A. Junod 168 (1990) 47
Rusiecki, S., see E.N. van Eenige 168 (1990) 482

Saemann-Ischenko, G., see P. Schmitt 168 (1990) 475
Saikawa, T., see H. Kaga 168 (1990) 391
Sanchez, A., see D.-X. Chen 168 (1990) 652
Sanchez, D., see G. Triscone 168 (1990) 40
Sanchez, D., see A. Junod 168 (1990) 47
Sanjuán, M.L., see V.M. Orera 168 (1990) 161
Saragovi, C., C. Fainstein, P. Etchegoin and S. Duhalde, Iron doping and Mössbauer spectroscopy in Bi–Sr–Ca–Cu ceramic superconductors 168 (1990) 493
Sarkar, A.K. and I. Maartense, Effect of post-sintering quenching parameters on T_c and crystal structure of the $Bi_2Sr_2CaCu_2O_{8+\delta}$ (2212) phase 168 (1990) 591
Schilling, A., F. Hulliger and H.R. Ott, Measurement of the London penetration depth on $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_7$ polycrystals 168 (1990) 272
Schilling, J.S., see C. Allgeier 168 (1990) 499
Schmitt, P., L. Schultz and G. Saemann-Ischenko, Electrical properties of $Bi_2Sr_2CaCu_2O_x$ thin films prepared in situ by pulsed laser deposition 168 (1990) 475
Schnelle, W., E. Braun, H. Broicher, R. Dömel, S. Ruppel, W. Braunisch, J. Harnischmacher and D. Wohlleben, Fluctuation specific heat and thermal expansion of YBaCuO and DyBaCuO 168 (1990) 465

Schubert, J., see U. Weimer 168 (1990) 359
Schultz, L., see P. Schmitt 168 (1990) 475
Setsune, K., see S. Adachi 168 (1990) 1
Shah, D.O., see P. Ayyub 168 (1990) 571
Shi, D., see M. Xu 168 (1990) 303
Shoda, K., see S. Horiuchi 168 (1990) 205
Simkin, M.V., Plasma waves in a Josephson chain 168 (1990) 279
Simon, A., see N. Winzek 168 (1990) 327
Simonov, A.Yu., see A.I. Buzdin 168 (1990) 421
Smirnovskaya, E.M., see I.E. Lipinski 168 (1990) 291
Smit, A., see H.W. Zandbergen 168 (1990) 426
Sparpaglione, M., see C. Nobili 168 (1990) 549
Staub, U., see A. Furrer 168 (1990) 609
Stephens, K.M., D.A. Robinson, A. Alvanipour, W.S. Hinton and A. Morrobel-Sosa, A triphenyl bismuth-based solution route to Bi:Sr:Ca:Cu:O superconductors 168 (1990) 351
Stritzker, B., see U. Weimer 168 (1990) 359
Subramanian, M.A., see G.H. Kwei 168 (1990) 521
Suenaga, M., see S.H. Whang 168 (1990) 185
Sushkov, O.P., see V.V. Flambaum 168 (1990) 565
Syono, Y., see S. Nakajima 168 (1990) 57
Syono, Y., see A. Tokiwa 168 (1990) 285

Tachiki, M., see T. Koyama 168 (1990) 69
Tajima, S., S. Uchida, S. Ishibashi, T. Ido, H. Takagi, T. Arima and Y. Tokura, Optical phonons in copper oxides with a single CuO_2 plane 168 (1990) 117
Takagi, H., see T. Arima 168 (1990) 79
Takagi, H., see S. Tajima 168 (1990) 117
Takezawa, N., see T. Koyama 168 (1990) 69
Tallon, J.L., The relationship between bond-valence sums and T_c in cuprate superconductors 168 (1990) 85
Tamegai, T., see N. Nishida 168 (1990) 23
Teitel'baum, G.B., see A.M. Finkel'stein 168 (1990) 370
Tewari, S.P. and P.K. Gumber, Effect of anisotropic phonons and planar acoustic plasmons on superconductivity in lanthanum cuprates 168 (1990) 647
Theuss, H. and H. Kronmüller, The SN phase transition of electron irradiated $YBa_2Cu_3O_{7-\delta}$ polycrystals 168 (1990) 539
Tiefel, T.H., see S.H. Whang 168 (1990) 185
Tiernan, W.M., J.M. Madsen, R.B. Hallock, J.C.W. Chien, B.M. Gong, S.H. Dong and Y.S. Yang, Transport properties of Ag–$YBa_2Cu_3O_{7-x}$ fibers prepared by a polymer–metal–complex precursor process 168 (1990) 189
Tokiwa, A., M. Nagoshi, T. Oku, N. Kobayashi, M. Kikuchi, K. Hiraga and Y. Syono, Synthesis and superconductivity of $PbBaSrY_{1-x}Ca_xCu_3O_7$ 168 (1990) 285
Tokura, Y., see T. Arima 168 (1990) 79
Tokura, Y., see S. Tajima 168 (1990) 117
Torrance, J.B., see T. Arima 168 (1990) 79
Tournier, R., see C. Martin 168 (1990) 8
Triscone, G., T. Graf, A. Junod, D. Sanchez, O. Brunner, D. Cattani and J. Muller, Superconducting and magnetic properties of $Y_1Ba_2Cu_4O_{8\pm\delta}$ 168 (1990) 40

Triscone, G., see A. Junod 168 (1990) 47
Tsutsumi, M., see S. Horiuchi 168 (1990) 205
Twerenbold, D., The microwave enhanced bolometer. A cryogenic particle detector with large gain 168 (1990) 381

Uchida, S., see T. Arima 168 (1990) 79
Uchida, S., see S. Tajima 168 (1990) 117
Uji, S., see T. Hirata 168 (1990) 580

Vaccarone, R., F. Parodi, R. Garre and S. Ceresara, Temperature and magnetic field dependence of the critical current density of YBCO with fine grains 168 (1990) 63
Van Eenige, E.N., R. Griessen, R.J. Wijngaarden, J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, Superconductivity at 108 K in $YBa_2Cu_4O_8$ at pressures up to 12 GPa 168 (1990) 482
Van Landuyt, J., see M. Mehbod 168 (1990) 265
Vanlathem, E., see M. Mehbod 168 (1990) 265
Van Tendeloo, G., see M. Mehbod 168 (1990) 265
Van Tendeloo, G., see H.W. Zandbergen 168 (1990) 426
Verwerft, M., see M. Mehbod 168 (1990) 265
Vinokur, V.M., P.H. Kes and A.E. Koshelev, Flux pinning and creep in very anisotropic high temperature superconductors 168 (1990) 29
Voigt, H., see R. Fischer 168 (1990) 113
Voloshin, V.A., On the state of the Pr-ion (and other rare-earth ions) in a high-T_c superconductor under high pressure 168 (1990) 506

Wang, H., see Q. Xu 168 (1990) 489
Wasa, K., see S. Adachi 168 (1990) 1
Weimer, U., R. Feile, P. Leiderer, U. Poppe, J. Schubert, J. Fröhlingsdorf, B. Stritzker and W. Zander, Investigation of the epitaxy of thin $YBa_2Cu_3O_{7-\delta}$ films 168 (1990) 359
Welch, D.O., see S.H. Whang 168 (1990) 185
Wen, Z. and I. Iguchi, Fabrication and physical properties of DC SQUIDs using Bi(Pb)SrCaCuO thin films 168 (1990) 138
West, A.R., see C. Namgung 168 (1990) 346
Whang, S.H., Z.X. Li, D.X. Pang, M. Suenaga, D.O. Welch, S. Jin and T.H. Tiefel, Flux pinning effect in Y-123 superconductor containing Si 168 (1990) 185
Wijngaarden, R.J., see E.N. van Eenige 168 (1990) 482
Willekers, R.W., H.C. Meijer, H. Postma and M.J.V. Menken, Specific heat of superconducting $YbBa_2Cu_3O_{(7-\delta)}$ between 0.1 and 1 K and in fields up to 0.6 T 168 (1990) 99
Winzek, N., F. Hentsch, M. Mehring, Hj. Mattausch, R. Kremer and A. Simon, ^{205}Tl Knight and chemical shift in the high-T_c superconductors $Tl_2Ba_2CuO_6$, $Tl_2CaBa_2Cu_2O_8$ and $Tl_2Ca_2Ba_2Cu_3O_{10}$ 168 (1990) 327
Wohlleben, D., see W. Schnelle 168 (1990) 465
Wu, X.-J., see S. Horiuchi 168 (1990) 205
Wyder, P., see M. Mehbod 168 (1990) 265

Xu, M. and D. Shi, Calculations of magnetic relaxation in type-II superconductors based on various critical-state models 168 (1990) 303

Xu, Q., T. Cheng, X.-G. Li, L. Yang, C. Fan, H. Wang, Z. Mao, D. Peng, Z. Chen and Y. Zhang, Preparation and phase research of the 110 K high-T_c superconductor $Bi_2Sr_2Ca_2Cu_3O_y$ doped with Sb and Pb 168 (1990) 489

Yang, L., see Q. Xu 168 (1990) 489
Yang, Y.S., see W.M. Tiernan 168 (1990) 189
Yaron, U., D. Kowal, I. Felner and M. Einav, Synthesis, structure and properties of the nonsuperconductor $YBa_2Cu_2WO_{9-\delta}$ 168 (1990) 546
Ying, Q.Y., see J.P. Zheng 168 (1990) 322
Yoshizaki, R., see N. Nishida 168 (1990) 23

Zalessky, A.V., see I.E. Lipinski 168 (1990) 291
Zandbergen, H.W., W.A. Groen, A. Smit and G. van Tendeloo, Structure and properties of $(Bi,Pb)_2Sr_2(Ca, Y)Cu_2O_{8+\delta}$ 168 (1990) 426
Zander, W., see U. Weimer 168 (1990) 359
Zhang, J.P., see D.J. Li 168 (1990) 617
Zhang, X., C.R.A. Catlow and W. Zhou, The determination of the defect states in undoped superconducting La_2CuO_4 by computer simulation techniques 168 (1990) 417
Zhang, Y., see Q. Xu 168 (1990) 489
Zheng, J.P., Q.Y. Ying and H.S. Kwok, Y–Ba–Cu–O thin film infrared detectors 168 (1990) 322
Zheng, Y., see P. Lightfoot 168 (1990) 627
Zhou, W., see X. Zhang 168 (1990) 417

Physica C 168 (1990) 679–680
North-Holland

ANALYTIC SUBJECT INDEX TO VOLUME 168

AC susceptibility
– of superconductors (frequency dependence) 585
– of $YBa_2Cu_3O_{7-\delta}$ 123
– of $YBa_2Cu_3O_{7-\delta}$ (ceramics) 652
– of $YBa_2Cu_3O_{7-\delta}$ (irradiation effect) 131
– superconducting ceramics 585
Antiferromagnetic order
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 23

Band structure
– tight binding 556
BCS model 450

Chemical shift
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 327
– of $Tl_2Ba_2CaCu_2O_8$ 327
– of $Tl_2Ba_2CuO_6$ 327
Collective flux pinning 29
Critical current density
– in granular superconductors 109
– of Ag–$YBa_2Cu_3O_{7-\delta}$ fibers 189
– of Si doped $YBa_2Cu_3O_{7-\delta}$ 185
– of $YBa_2Cu_3O_{7-\delta}$ (ceramics) 131, 652
– of $YBa_2Cu_3O_{7-\delta}$ (fine grain ceramics) 63
– of $YBa_2Cu_4O_{8+\delta}$ 40
Critical state modes 303
Critical temperature of layered superconductors (theory) 173
Crystal field
– of $Nd_{2-x}Ce_xCuO_{7-\delta}$ 609
Cu-O planes 556

Defect structures
– of La_2CuO_4 (computer simulations) 417

Effect of annealing on T_c
– in $Bi_2Sr_2CaCu_2O_{8-\delta}$ 591
Electron irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ 539
ESR
– of $La_{2-x}Sr_xCu_{1-y}Zn_yO_4$ 370
Ettingshausen effect 605
Excitonic mechanism 195

Fibers
– of Ag–$YBa_2Cu_3O_{7-\delta}$ by polymer–metal complex precursor 189
Flux creep
– in anisotropic superconductors 29
Flux pinning
– of Si doped $YBa_2Cu_3O_{7-\delta}$ 185

Grain boundaries
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 239
– of $YBa_2Cu_3O_{7-\delta}$ with Ag/Ag_2O 405
Granular superconductivity 109
– of $YBa_2Cu_3O_{7-\delta}$ 123

High pressure effect
– of $Ln_{2-x}M_xCuO_{4-\delta}$ (Ln=Nd,Sm,Pr; M=Ce,Th) 530
– of $YBa_2Cu_4O_8$ 482
HREM
– of $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ 265
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 239
– of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$ 249
– of $Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$ 265
– of $(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$ 215
– of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ 426
– of Bi-Sr-Ca-Cu-O system 205
Hubbard model 297

Infrared detectors
– fabricated $YBa_2Cu_3O_7$ thin films 322
Infrared spectroscopy 117
– of $Nd_{2-x}Ce_xCuO_4$ 580
Irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ 539
– of $YBa_2Cu_3O_{7-\delta}$ (ceramics) 131

Knight shift
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 327
– of $Tl_2Ba_2CaCu_2O_8$ 327
– of $Tl_2Ba_2CuO_6$ 327

Lower critical field H_{c1}
– in layered superconductors 69, 421

Madelung energy
– of $Nd_{2-x}Ce_xCuO_4$ 637
Magnetic phase diagram
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 23
Magnetic properties of layered superconductors 421
Magnetic relaxation in type II superconductors 303
Magnetic susceptibility
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 499
– of $Tl_2Ba_2CuO_{6+\delta}$ 499
Magnetization
– of $YBa_2Cu_3O_{7-\delta}$ 539
– of $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_{7-\delta}$ 272
Meissner–Ochsenfeld heat engine 113
Microemulsion process
– of $YBa_2Cu_3O_{7-\delta}$ 571
Microwave absorption
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (film) 91
Microwave bolometers 381
Mixed state
– in anisotropic superconductors 29
Modulated structures
– of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ 426
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 617
Mössbauer spectroscopy
– of Fe in $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ 493
Muon spin rotation
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 23

Negative U model 297
Nernst effect 605
Neutron diffraction
– of $Nd_{2-x}Ce_xCuO_4$ 627
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 609
– of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ 521
NMR
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (line shape) 291
– of La_2CuO_4 (calculation) 565
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 327
– of $Tl_2Ba_2CaCu_2O_8$ 327
– of $Tl_2Ba_2CuO_6$ 327
Normal state properties 556
NQR
– of La_2CuO_4 (calculation) 565

Oxygen stoichiometry
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 591
– in thallium compounds 8
– of $Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_{8+\delta}$ 167
– of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ 521
– of $YBa_2Cu_3O_{6+\delta}$ 549
– of $YBa_2Cu_4O_8$ 153

Particle detectors 381

Partition functions of the BCS model 450
Peltier effect 605
Penetration depth
– of $Bi_2Sr_2CaCuO_{28+\delta}$ (film) 91
– of $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_{7-\delta}$ 272
Phase diagram
– of Bi-Sr-Ca-Cu-O system 205
– of Ca_2CuO_3 205
– of $(Ca,Sr)_3Cu_5O_y$ 205
– of $YBa_2Cu_4O_8$ 153
Phonon mechanism
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 647
Phonons
– in $(Ca,Sr)CuO_2$ 117
– in $Sr_2CuO_2Cl_2$ 117
– in T-, T′- and T*-structures 117
Phonon spectrum
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) 161
Plasma waves 279
Plasmon mechanism
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 647

Raman scattering
– of epitaxial $YBa_2Cu_3O_{7-\delta}$ films 359
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) 161
Relationship between bond valence sum and T_c 85
Resistivity
– of $YBa_2Cu_4O_{8+\delta}$ 40

Scaling relations (theory) 282
Screening of Ac magnetic field
– in $YBa_2Cu_3O_{7-\delta}$ 123
Seebeck effect 605
Specific heat
– of $YBa_2Cu_3O_{7-\delta}$ and $DyBa_2Cu_3O_{7-\delta}$ 465
– of $YBa_2Cu_4O_8$ 47
– of $YBa_2Cu_4O_{8+\delta}$ 40
– of $YbBa_2Cu_3O_{7-\delta}$ 99
Specific heat, linear coefficient
– of $YBa_2Cu_4O_8$ 47
Specific heat, low-T
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 363
SQUID
– fabricated by thin film $Bi(Pb)SrCaCuO_x$ 138
Structure
– of $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ 265
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 239
– of $Bi_2Sr_2RE_{2-x}Ce_xCu_2O_{10+\delta}$ (RE=Y,Nd,Sm,Eu,Gd,Dy,Ho) 79
– of $Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$ 265
– of $(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$ 215
– of $(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$ 426
– of Fe-doped Bi-Sr-Ca-Cu-O 265
– of $Nd_{2-x}Ce_xCuO_4$ 627
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 617
– of $PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$ 1
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 315
– of $Tl_2Ba_2CaCu_2O_8$ 315
– of $TlBa_2Ca_{1-x}RE_xCu_2O_7$ (RE=Nd,Gd,Y) 57
– of $TlBa_2Ca_2Cu_3O_9$ (single crystal) 315
– of $Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$ 521
– of $YBa_2Cu_2WO_{9-\delta}$ 546
Substitution effects 391
– in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 489
– of Fe in $Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$ 493
– of Li in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 309
– of $PbBaSrY_{1-x}CaCu_3O_7$ 285
– of Pr in $YBa_2Cu_3O_{7-\delta}$ 506
– of Sb and Pb 489
– of Zn in $La_{2-x}Sr_xCuO_4$ 370
Superconducting image force 479
Synthesis
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ by metallorganic precursors 351
– of $PbBaSrY_{1-x}CaCu_3O_7$ 285
– of $YBa_2Cu_2WO_{9-\delta}$ 546
– of $YBa_2Cu_3O_{7-\delta}$ 346
Synthesis of high density ceramics 571

TEM
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 617
– of $PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$ 1
Thermal expansion
– of $YBa_2Cu_3O_{7-\delta}$ and $DyBa_2Cu_3O_{7-\delta}$ 465
Thermodynamic scaling (theory) 282
Thermoelectric power
– of high-T_c superconductors 605
Thin films
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ by pulsed laser deposition 475
– of $LaBa_2Cu_3O_{7-\delta}$ by laser ablation 599
– of $YBa_2Cu_3O_{7-\delta}$ 322
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial) 359
Three band model 391
Type II superconductors 29

Ultrasound attenuation
– in the mixed state of type II superconductors 335
Ultrasound velocity
– of type II superconductors 515
Upper critical field H_{c2} (theory) 143
UPS
– of the interface between Pb and $Bi_2Sr_2CaCu_2O_{8+\delta}$ 104

XPS
– of the interface between Pb and $Bi_2Sr_2CaCu_2O_{8+\delta}$ 104
X-ray diffuse scattering
– of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 315
– of $TlBa_2Ca_2Cu_3O_9$ (single crystal) 315

Physica C 168 (1990) 681–682
North-Holland

MATERIALS INDEX TO VOLUME 168

$Ag–YBa_2Cu_3O_{7-\delta}$
– critical current density 189
– Fibers 189

$Bi_{2.00}Sr_{1.88}Ca_{1.00}Cu_{2.14}O_{8+\delta}$
– oxygen stoichiometry 167
$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$
– substitution effects 489
$Bi_2Sr_2CaCu_{2-x}Fe_xO_{8+\delta}$
– HREM 265
– Mössbauer spectroscopy 493
– structure 265
– substitution effects 493
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– grain boundaries 239
– HREM 239
– magnetic susceptibility 499
– microwave absorption 91
– NMR 291
– structure 239
– substitution effects 309
– synthesis 351
– thin films 475
$Bi_2Sr_2CaCu_2O_{8-\delta}$
– Effect of annealing on T_c 591
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– oxygen stoichiometry 591
– UPS 104
– XPS 104
$Bi_2Sr_2CaCuO_{28+\delta}$
– penetration depth 91
$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n+\delta}$
– HREM 249
$Bi_2Sr_2RE_{2-x}Ce_xCu_2O_{10+\delta}$
– structure 79
$Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$
– antiferromagnetic order 23
– magnetic phase diagram 23
– muon spin rotation 23
$Bi_4Sr_3Ca_3Cu_{4-x}Fe_xO_{16+\delta}$
– HREM 265
– structure 265
$(Bi,Pb)_2Sr_2Ca_{n-1}Ca_nO_{4+2n+\delta}$
– HREM 215
– structure 215
$(Bi,Pb)_2Sr_2(Ca,Y)Cu_2O_{8+\delta}$
– HREM 426
– modulated structures 426
– structure 426

$Bi(Pb)SrCaCuO_x$
– SQUID 138
Bi-Sr-Ca-Cu-O
– HREM 205
– phase diagram 205
– structure 265

Ca_2CuO_3
– phase diagram 205
$(Ca,Sr)_3Cu_5O_y$
– phase diagram 205
$(Ca,Sr)CuO_2$
– phonons 117

$La_{2-x}Sr_xCu_{1-y}Zn_yO_4$
– ESR 370
$La_{2-x}Sr_xCuO_4$
– substitution effects 370
$La_{2-x}Sr_xCuO_{4-\delta}$
– phonon mechanism 647
– plasmon mechanism 647
La_2CuO_4
– defect structures 417
– NMR 565
– NQR 565
$LaBa_2Cu_3O_{7-\delta}$
– thin films 599
$Ln_{2-x}M_xCuO_{4-\delta}$
– high pressure effect 530

$Nd_{2-x}Ce_xCuO_4$
– infrared spectroscopy 580
– Madelung energy 637
– neutron diffraction 627
– structure 627
$Nd_{2-x}Ce_xCuO_{4-\delta}$
– modulated structures 617
– neutron diffraction 609
– phonon spectrum 161
– Raman scattering 161
– structure 617
– TEM 617
$Nd_{2-x}Ce_xCuO_{7-\delta}$
– crystal field 609

$PbBaSrY_{1-x}CaCu_3O_7$
– substitution effects 285
– synthesis 285
$PbPr_{2.4}Sr_{1.6}Cu_{2.6}O_x$
– structure 1
– TEM 1

$Sr_2CuO_2Cl_2$
– phonons 117

T′-
– phonons 117
$Tl_2Ba_2Ca_2Cu_3O_{10}$
– chemical shift 327
– Knight shift 327
– NMR 327
– structure 315
– X-ray diffuse scattering 315
$Tl_2Ba_2CaCu_2O_8$
– chemical shift 327
– Knight shift 327
– NMR 327
– structure 315
$Tl_2Ba_2CuO_6$
– chemical shift 327
– Knight shift 327
– NMR 327
$Tl_2Ba_2CuO_{6+\delta}$
– magnetic susceptibility 499
$TlBa_2Ca_{1-x}RE_xCu_2O_7$
– structure 57
$TlBa_2Ca_2Cu_3O_9$
– structure 315
– X-ray diffuse scattering 315
$Tl(Sr_{0.65}Nd_{0.35})_2CaCu_2O_7$
– neutron diffraction 521
– oxygen stoichiometry 521
– structure 521

$YBa_2Cu_2WO_{9-\delta}$
– structure 546
– synthesis 546
$YBa_2Cu_3O_{6+\delta}$
– oxygen stoichiometry 549
$YBa_2Cu_3O_7$
– infrared detectors 322
$YBa_2Cu_3O_{7-\delta}$
– AC susceptibility 123, 131, 652
– critical current density 63, 131, 185, 652
– electron irradiation effect 539
– flux pinning 185
– grain boundaries 405

– granular superconductivity 123
– irradiation effect 131, 539
– magnetization 539
– Microemulsion process 571
– Raman scattering 359
– screening of Ac magnetic field 123
– specific heat 465
– synthesis 346
– thermal expansion 465
– thin films 322, 359

$YBa_2Cu_3O_{7-\delta}$
– specific heat, low-T 363
– substitution effects 506
$YBa_2Cu_4O_8$
– high pressure effect 482
– magnetization 272
– oxygen stoichiometry 153
– penetration depth 272
– phase diagram 153
– specific heat 47

– specific heat, linear coefficient 47
$YBa_2Cu_4O_{8+\delta}$
– critical current density 40
– Resistivity 40
– specific heat 40
$YbBa_2Cu_3O_{7-\delta}$
– specific heat 99